

GOVERNMENT OF ANDHRA PRADESH

ABSTRACT

Public Servants – Panchayat Raj Engineering Department – Allegation of irregularities in execution of (7) works taken up under FFWP in Karvetinagaram, Chittoor District – Imposition of a punishment of stoppage of one annual grade increment without cumulative effect on Sri A.V.Ramana, Deputy Executive Engineer, Panchayat Raj sub-division, Karvetinagaram, Chittoor District – Orders – Issued.

-----  
**PANCHAYAT RAJ AND RURAL DEVELOPMENT (Vig.II) DEPARTMENT**

G.O.Rt.No. 1516

DATED:22-10-2009

Read the following:-

1. From the G.A.(V&E) Deptt., Vigilance Report No.72(1175/V&E/E1/2001) Dt:7-6-2003.
2. Govt.Memo.No.798/VS-I/A3/2003-1 Panchayat Raj and Rural Development (VS-I) Department, dt.23-7-2003 and reminders thereon.
3. From the Engineer-in-Chief, Panchayat Raj Lr.No.Vig.II(2)/ 37000/05 Dt:23-7-2007.
4. Govt.Memo.No.798/Vig-II/A1/2003-9 Panchayat Raj and Rural Development (Vig-II) Department, dt.25-1-2008.
5. From Sri A.V. Ramana, Deputy Executive Engineer written statement of defence, Dt:20.10.08.
6. Govt.Memo.No.798/Vig-II/A1/2003-14 Panchayat Raj and Rural Development (Vig-II) Department, dt.5-12-2008.
7. From the Engineer-in-Chief, Panchayat Raj Letter No.Vig.II(2)/37000/05, dt:15.06.09.

<<O>>

**ORDER:**

It has been brought to the notice of the Government by competent authority, certain irregularities of misuse of food grains in execution of certain works under FFWP in Karvetinagaram (M), Chittoor District against Sri A.V.Ramana, Deputy Executive Engineer, Panchayat Raj sub-division, Karvetinagaram, Chittoor District and two (2) other Panchayat Raj Engineering Officials, in the year 2003. Government initiated disciplinary action by framing charges against the individual, vide reference 4<sup>th</sup> read above.

2. The Charged Officer has submitted his written statement of Defence, vide reference 5<sup>th</sup> read above. Report of the Engineer-in-Chief, Panchayat Raj was called for, on the written statement of defence of the Charged Officer, vide reference 6<sup>th</sup> read above.
3. The Engineer-in-Chief, Panchayat Raj, in his letter in reference 7<sup>th</sup> read above, interalia, stated that the recording and check measuring officers i.e., AEE and DEE were responsible for allowing excess quantities, that though the estimate amounts were meager, the proposed recoveries were very large and the villagers of Gajjanki and Erramrajupalli have remitted the amounts proposed for recovery by the V&E Department and interalia, recommended for imposition of a punishment of stoppage of one increment without cumulative effect on the Charged Officer, when compared to the estimate amounts, the recoveries were very large.

(P.T.O)

4. Government after careful examination of the matter, decided to agree with the report of Engineer-in-Chief, Panchayat Raj. Accordingly hereby order to impose a punishment of stoppage of one annual grade increment without cumulative effect on Sri A.V. Ramana, Deputy Executive Engineer, Panchayat Raj sub-division, Karvetinagaram, Chittoor District, on the allegation of the irregularities in execution of (7) works in Karvetinagaram of Chittoor District.

5. The Engineer-in-Chief, Panchayat Raj, shall take necessary further action in the matter.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

M.V.P.C.SASTRY  
PRINCIPAL SECRETARY TO GOVERNMENT

To  
Sri A.V.Ramana, Deputy Executive Engineer, PRSD, Karvetinagaram through  
the Engineer-in-Chief, Panchayat Raj, Hyderabad.

The Engineer-in-Chief, Panchayat Raj, Hyderabad.

Copy to:

The Director General, V&E, Hyderabad.(72(1175/V&E/E1/2001)  
The Secretary, A.P. Vigilance Commission. (5278/VC.G1/2009)  
The Panchayat Raj and Rural Development (Vig.III) Department.  
SF/SC.

// FORWARDED :: BY ORDER //

SECTION OFFICER